



# Delivery Instruction Shipping Cases

Page: 1 of 4

Validity: 2025-08-01

EMEA-003


## General

- **Creator:** Crop Science Division / PS-AIM-CPI-PQFP-F&P
- **Contact:** [packagingCS@bayergroup.onmicrosoft.com](mailto:packagingCS@bayergroup.onmicrosoft.com)
- **Note:** Any necessary deviations must be pre-approved by the Crop Science Division / PS-AIM-CPI-PQFP-F&P and coordinated with local sites. Only one type of packaging is permitted per pallet. Protective accessories are considered disposable und must comply with EU Regulation 2025/40
- **Reason for update:** General review

## Pallet/Palletization




- **Type:** CP-1 HT Pallet\*
- **Cover:** Shrink-wrapped, wound or stretched and/or banded
- **Banded by wrapping tapes:** covering on the top with a firm board/cardboard corner
- **Max Height:** 1.85 m\*\*
- **Note:** Plastic film under the bottom boards of the pallet is prohibited
- **Pallet Load Compliance:** Must not exceed the pallet perimeter
- **Storage:** Always under the roof

Standard palletizing configuration



## Bundles

- **Bundling:** together and always with the same number of pieces\*\*\*
- **Conditions:** usage of easy to open strips
- **Orientation:** all cases in the bundle must be oriented in the same direction and oriented parallel to the fluting with a calibrated tension\*\*\*\*
- **Max Weight per Dispatch Unit:** 20 kg



## Quantity

- **Number per Dispatch Box:** To be determined based on the respective article reference
- **Layering:** Defined according to the maximum pallet height of 1.85 m

## Pallet Labeling

- **Label Placement:** One label on each narrow side and one on a long side
- **Label Content:**
  - Bayer Material Number and Product Name
  - Bayer Order Number
  - Quantity per Pallet
  - Date of Production
  - Supplier Name
  - Supplier Internal Information
- **Note:** Any deviations must be agreed upon with the receiving site\*\*\*\*\*

## Site specific Requirements

\*ANTWERP: sourced pallets supplier must be previously approved by the site.

\*\*ANTWERP: 2 m

\*\*\* ANTWERP: Pieces per bundle = 15

\*\*\*\* ANTWERP: All bundles must be placed on the pallet with the manufacturers joint downward

\*\*\*\*\*ANTWERP: in addition to the labeling, each pallet must be identified with an identical case visible on one side of the pallet

